

# Fire Department Connections

**Standard Specifications:**
**Body:** Carbon Steel

**Finish:** Black enamel paint

**Flange:** 150# raised face (Optional face - flat; class - 300#)

**Inlet Specifications**
**Inlet Size**
☐ 4"

☐ 6"

☐ 8"

☐ Other:

**Inlet Type**
☐ Groove

☐ Thread

☐ Flange 150# RF

**Inlet Style**
☐ End

☐ Back

☐ Angle

**Outlet Specifications**
**Outlet Centerline**
☐ 7" (Standard)

☐ Other:

**Outlet Size**
☐ 2½"

☐ 3"

**No. of Outlets**
☐ 2

☐ 3

☐ 4

☐ 6

☐ 8

☐ Other:

**Other Specifications \***
**Other**
☐ Domed end cap

☐ Flat face flange

☐ 300# flange

**Optional Finishes**
☐ Red enamel paint

☐ Red epoxy paint

☐ Silver polyurethane paint

☐ Red polyester (powder coat)

☐ Zinc electroplating










☐ Hot dip galvanized

☐ Other:



**Dimensions**

Size	A	B
2-Way	16"	7"
3-Way	23"	7"
4-Way	30"	7"
6-Way	44"	7"
8-Way	58"	7"

\* Additional charges may apply

	End	Back	Angle (90°)
Groove			
Thread			
Flange			

**End Connection:**

**Angle Connection:**

**Back Connection:**

**Submittal Form**
[www.iowafittings.com](http://www.iowafittings.com)

Job Information:	Date:
Architect/Engineer:	Approved as
Phone:	Sumbitted:
Contractor:	
Address:	
Comments:	